4th International HiPeR symposium (combining with the annual meeting of HiPeR)

Date: March 4th to 6th 2019

Place: Hiroshima University Library Hall (Higashi Hiroshima campus)

Caution: The library hall only opens during 8:45-16:45.

Oral presentation: 15 min (invited: 25 min)

3/4 (Mon)

Time	Name	Affiliation	Presentation title
9:00-9:30	Registration		
9:30-9:40	Toru Inoue	Hiroshima Univ.	Brief introduction of HiPeR and welcome note
9:40-9:55	Naoki Ishimatsu	Hiroshima Univ.	High pressure XAS measurements on BL39XU of
9.40-9.55	Nauki Isiiiiilatsu	HIIOSIIIIIIa Oliiv.	the SPring-8: recent activities
9:55-10:20	Sakura Pascarelli	ESRF, France	Frontiers of High Pressure Research at the
9.55-10.20	Sakura Pascarelli	LSKI, ITAIICE	European Synchrotron Radiation Facility
10:20-10:30			break
10:30-10:55	May Wilko	Univ. Potsdam,	X-ray spectroscopy on trace elements in silicate
10.50-10.55	Max Wilke	Germany	and carbonate melts
10:55-11:20	Chrystele Sanloup	Sorbonne Univ.,	Reactivity of heavy noble gases under high
11:20-13:10		Lunch break (HAK	UWA hotel: Lunch Buffet)
			Structure and geochemistry of noble gases from
13:10-13:35	Angelika Rosa	ESRF, France	in-situ XAS up to 110 GPa and 3000 K and the
			origin of Earth's atmosphere
13:35-14:00	Guillaume Morard	CNRS, France	Composition of the Earth's core from a mineral
15.55-14.00			physics point of view
14:00-14:10			Break
14:10-14:35	Robert C.Liebermann	Stony Brook Univ.,	Recent Ultrasonic Experiments at High P and T at
14.10 14.55	and Baosheng Li	USA	Stony Brook
14:35-15:00	Akira Yoneda	Okayama Univ.	DAC-GHz ultrasonic P wave velocity
14.55-15.00			measurement on KCl and natural olivine
15:00-15:25	Yuji Higo	SPring-8, JASRI	Development of ultrasonic measurement
			technique toward whole lower mantle conditions
15:25-15:35	Break		
15:35-16:00	Tetsuo Irifune and	GRC, Ehime Univ.	Sound velocities of "breyite" and some
	Steeve Gréaux		implications for seismological signatures around
	Steeve Greaux		the 660 km discontinuity
16:00 16:25	Masaki Akaogi	Gakushuin Univ.	High-pressure phase transitions of AB ₂ O ₄ spinels
10.00-10.23			and related minerals
16:25-16:40	Hiroshi Fukuoka	Hiroshima Univ.	High-Pressure Synthesis and Structures of
10.25-10.40			Chromium Sulfides

17:00-18:00 Poster session (in "Faculty of Science" Building A, 7th floor)

18:30-20:30	Banquet ("cafe bar The Earth")
-------------	---------------------------------

3/5 (Tue)

Time	Name	Affiliation	Presentation title
9:00-9:25	Tomoo Katsura	BGI, Univ. Bayreuth,	Water enhancement of ionic conductivity of
9.00-9.23		Germany	olivine
9:25-9:40	Toru Inoue	Hiroshima Univ.	Hydrous bridgmanite
9:40-9:55	Tomoko Sato	Hiroshima Univ.	Shock-compressed behavior of quartz by XFEL
9:55-10:05			Break

10.0F 10.30	Yanbin Wang	APS, Univ. Chicago.	Eclogitization-induced mechanical instability in
10:05-10:50	Talibili Wally	USA	granulite and intermediate-depth earthquakes in
10.20 10.55	1:	National Cheng Kung	Orientation-dependence of thermal conductivity
10:30-10:55	Jennifer Kung	Univ., Taiwan	of pyroxene
10:55-11:05			Break
11.05 11.20	Mitsuhiro Toriumi	JAMSTEC	Global Seismicity Dynamics by Data-driven
11.05-11.50	Micsurino Toriumi	DAMSTEC	Science - Japanese Islands Region
		Building Research	Variations in seismicity, b-values and stress
11:30-11:55	Saeko Kita	Institute	orientations in the subducting slab under Kii
		Tristitute	peninsula
11:55-12:10	Naoki Suda	Hiroshima Univ.	Real-time monitoring of seismic slow earthquakes
	Tuoki Sada		in the Nankai subduction zone
12:10-13:30	Lunch break (Gakushi-kaikan)		
13.30-13.55	Takashi Nakagawa	Univ. Hong Kong,	On the large-scale geochemical heterogeneity in
15.50 15.55	Takasiii Nakagawa	China	deep mantle in hydrous mantle convection
13:55-14:10	Ikuo Katayama	Hiroshima Univ.	Crack-dependent seismic discontinuity at oceanic
14:10-14:25	Masako Yoshikawa	Hiroshima Univ.	Hydrous metasomatism recorded in the mantle
14.10 14.25	Tidadko Tosiiikawa		wedge xenoliths from Mt. Pinatubo, Philippines
14:25-14:35	Break		
14:35-14:50	Fumito Shiraishi	Hiroshima Univ.	Life-water-mineral interactions—outcomes since
14:50-15:05	Tadashi Yokoyama	Hiroshima Univ.	Chemical property of dissolved Si and its
14.50-15.05			relavance to the diffusion of Si in pore water
15:05-15:20	Hikaru Yabuta	Hiroshima Univ.	First half summary and current status of
15.05-15.20			Hayabusa2 asteroid sample return mission
15:20-15:30			Break
15:30-15:45	Masaaki Miyahara	Hiroshima Univ.	High-pressure minerals in shocked ordinary
15:45-16:00	Naotaka Tomioka	JAMSTEC	Lattice-shear-induced formation of a new Mg ₂ SiO ₄
			spinelloid in shocked meteorites
16:00-16:15	Tomoyuki Shibata	Hiroshima Univ.	Partial melting of subducting oceanic crust

17:00-18:00	Labo tour (The Hiroshima Synchrotron Radiation Center (HiSOR))
18:00~	Free time (Dinner in each group)

3/6 (Wed)

10:00-12:00	(optional) Saijo Sakagura (Sake Wine Celler) Town Tour
12:00~	Free time

3/4 (Mon) 17:00-18:00 Poster presentation (in "Faculty of Science" Building A, 7th floor)

Poster No.	Name	Affiliation	Presentation title
1	Takahiro Kuribayashi	Toboku Univ	Structural properties of (Al, H)-bearing
1		TOTIONA OTIIV.	Bridgmanite: Site preference of Al and possible
2	Tomoeki Nakakuki	Hiroshima Univ.	Water transport to deep mantle coupled
	TOTTOCKI NAKAKAKI		dynamically with a plate-mantle convection
3	Takaaki Kawazoe	Hiroshima Univ.	Starting Multi-Anvil Experiments at Hiroshima
		Hiroshima Univ.	Petrology and zircon geochronology of
4	Kosuke Kimura		Paleoproterozoic and Paleozoic granitoid bodies
			from Tsuwano area, Shimane Prefecture, SW
5	Takeo Kaneko	Hiroshima Univ.	Water circulation linking with the mantle
			convection and hydrous mineral phase changes

Two ichnogenera of iguandontid footprints from the Lower Cretaceous Kitadani Formation, Fukui, Japan: Ichnodaxonomical implications. Fiffect of pressure and fe on water solubility of 1-bearing hydrous bridgmanite Microstructures and deformation mechanisms of antigorite: Observations from serpentinite rocks of Rishabhdev and Goaunda area. Raiasthan. Discovery of 480 Ma mylonitized diorite - quartz diorite body at the northern margin of Sambagawa terrane in the Saganoseki Peninsula, Southwest Japan and its geological significance Compressional and shear wave velocities of mafic rocks collected from Oman Drilling Project 10 Kohel Hatakeyama Hiroshima Univ. Bidisha Dey Hiroshima Univ. The Geochemical Characteristics of Kyushu Basalst from the HFSE and Isotopic perspective Deformation condition beneath the Pinatubo volcano inferred from the microstructure of peridotite xenoliths 13 Takayoshi Nagaoka Hiroshima Univ. Hiroshima Univ. Microstructural properties and formation process of slickenside 14 Takehiro Hirayama Hiroshima Univ. Microstructural properties and formation process of slickenside 15 Takeru Omori Hiroshima Univ. Microstructural properties and formation process of slickenside 16 Hiroshi Fujiwara Hiroshima Univ. Microstructural properties and formation process of slickenside 17 Kazunari Kozuma Hiroshima Univ. Microstructural properties and formation process of slickenside 18 Ikuo Okada Hiroshima Univ. Hiroshima Univ. Microstructural properties of Cretaceous ignimbrite of Sanyo Province, SW Japan using zircon U-Pb chronology and minor element composition of agatite Investigation for the magma genesis and generation process of Yufu-dake, Kyushu, Japan, inferred from major and trace element composition of the amphibioles in Yufu-dake, Investigation for the magma genesis and generation process of Yufu-dake, Kyushu, Japan, inferred from major and trace element composition of the amphibioles in Yufu-dake lavas Experimental Study on relationship between permeability and transport pore radius of rocks Feat		1		· ·
7 Sho Kakizawa Ehime Univ. Sho Kakizawa Effect of pressure and Fe on water Shoulbility of Al-bearing hydrous bridgmanite Microstructures and deformation mechanisms of antigorite: Observations from serpentinite rocks of Rishabhdev and Goqunda area. Rajasthan. Discovery of 480 Ma mylonitized diorite - quartz diorite body at the northern margin of Sambagawa terrane in the Saganoseki Peninsula, Southwest Japan and its geological significance Compressional and shaen wave velocities of mafic rocks collected from Oman Drilling Project Ocks collected from Oman Drilling Project Ocks collected from Oman Drilling Project Deformation condition beneath the Pinatubo Volcano inferred from the microstructure of perioditiz xenolitish Microstructural properties and formation process of slickenside 13 Takayoshi Nagaoka Hiroshima Univ. Proceeding of Salvenside Geochemical Enatures of Quaternary volcanic rocks and xenolith from Futagoyama and Hime-Shima Volcanic groups, Kyusyu, Japan 15 Takeru Omori Hiroshima Univ. Role of extracellular polymenc substance on cyanobacterial calcification 14 Takeru Omori Hiroshima Univ. Role of extracellular polymenc substance on cyanobacterial calcification 15 Takeru Omori Hiroshima Univ. Shock metamorphism recorded in lunar meteorite Investigation for the magma genesis and generation process of Yufu-dake, Kyushu, Japan, inferred from major and trace element composition of the amphiboles in Yufu-dake lavas Experimental study on relationship between expensional perimental study on relationship between expensional perimental study on relationship between expensional pedigenic nodules in Tetor Group, Kamiichi and Tateyama regions, Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation Triggered tremors and stress perturbation due to surface waves at Nankai subduction zone surface waves at Nankai subduction zone surface waves at Nankai subduc	6	Vuta Taukiii	Hirochima Univ	Two ichnogenera of iguanodontid footprints from
Sho Kakizawa		Yuta isukiji	Hirosnima Univ.	
Sho Kakizawa Enime Univ. Solubility of Al-bearing hydrous bridgmanite Microstructures and deformation mechanisms of antigorite: Observations from serpentinite rocks of Rishabhdev and Godunda area. Raiasthan. Discovery of 480 Ma mylonitized dionite – quartz diorite body at the northern margin of Sambagawa terrane in the Saganoseki Peninsula, Southwest Japan and its geological significance Compressional and shear wave velocities of mafic rocks collected from Oman Drilling Project The Geochemical Characteristics of Kyushu Basalts from the HFSE and Isotopic perspective Deformation condition beneath the Pinatubo volcano inferred from the microstructure of peridotite xenoliths Microstructural properties and formation process of slickenside Geochemical Features of Quaternary volcanic rocks and xenolith from Futagoyama and Hime-Shima Univ. Ricrostructural properties and formation process of slickenside Geochemical features of Quaternary volcanic rocks and xenolith from Futagoyama and Hime-Shima volcanic groups, Kyusyu, Japan Role of extracellular polymenic substance on cyanobacterial calcification Regional correlation of Cretaceous ignimbrite of sanyo Province, SW Japan using zircon U-Pb chronology and minor element composition of apatite Shock metamorphism recorded in lunar meteorite Investigation for the magma genesis and generation process of Yufu-dake, Ryushu, Japan, inferred from major and trace element composition of the amphibioles in Yufu-dake lavas Experimental study on relationship between permeability and transport pore radius of rocks Features of paleosois and pedogenic nodules in Tetori Group, Kamiichi and Tateyama regions, Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation Triggered tremors and stress perturbation due to surface waves at Nankai subduction zone Deformation characteristics of antigorite Serpentinite expected at Sasaquri area, Fukuoka Microstructural observation of				Japan: Ichnotaxonomical implications
Microstructures and deformation mechanisms of antigorite: Observations from serpentinite of sof Rishabhdev and Goaunda area. Raiasthan. Discovery of 480 Ma mylonitized diorite - quartz diorite body at the northern margin of Sambagawa terrane in the Saganoseki Peninsula, Southwest Japan and its geological significance Compressional and shear wave velocities of mafic rocks collected from Oman Drilling Project. 10 Kohei Hatakeyama Hiroshima Univ. Bidisha Dey Hiroshima Univ. Bidisha Dey Hiroshima Univ. Bidisha Dey Hiroshima Univ. 11 Bidisha Dey Hiroshima Univ. Bidisha Dey Hiroshima Univ. Takayoshi Nagaoka Hiroshima Univ. 12 Yozora Sakota Hiroshima Univ. Takayoshi Nagaoka Hiroshima Univ. Takehiro Hirayama Hiroshima Univ. Takehiro Hirayama Hiroshima Univ. Takenu Omori Hiroshima Univ. Takeru Hiroshima Univ. Takeru Omori Hiroshima Univ. Takeru Omori Hiroshima Univ. Takeru Hiroshima Univ. Takeru Omori Hiroshima Uni	7	Sho Kakizawa	Ehime Univ.	·
8 Dyuti Prakash Sarkar Hiroshima Univ. antigorite: Observations from serpentinite rocks of Rishabhdev and Gogunda area. Raiasthan. Discovery of 480 Ma mylonitized diorite - quartz diorite body at the northern margin of Sambagawa terrane in the Saganoseki Peninsula, Southwest Japan and its geological significance Compressional and shear wave velocities of mafic rocks collected from Oman Drilling Project The Geochemical Characteristics of Kyushu Basalts from the HFSE and Isotopic perspective Deformation condition beneath the Pinatubo volcano Inferred from the microstructure of perioditic xenoliths 13 Takayoshi Nagaoka Hiroshima Univ. Microstructural properties and formation process of slickenside 14 Takehiro Hirayama Hiroshima Univ. Microstructural properties and formation process of slickenside 15 Takeru Omori Hiroshima Univ. Role of extracellular polymeric substance on cyanobacterial calcification 16 Hiroshi Fujiwara Hiroshima Univ. Sanyo Province, SW Japan using zircon U-Pb chronology and minor element composition of apatite 17 Kazunari Kozuma Hiroshima Univ. Shock metamorphism recorded in lunar meteorite Investigation for the magma genesis and generation process of Yufu-dake Javas 18 Ikuo Okada Hiroshima Univ. Hiroshima Univ. Wyushu, Japan, inferred from major and trace element composition of the amphiboles in Yufu-dake Javas 19 Kazumasa Sueyoshi Hiroshima Univ. Hiroshima Univ. Petatures of paleosols and pedogenic nodules in Tetori Group, Kamiichi and Tatevama ergions, Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation Triggered tremors and stress perturbation due to surface waves at Nankai subduction zone Peformation characteristics of antigorite serventical discretation of mafic and Microstructural observation of				
9 Kenta Kawaguchi 10 Kohei Hatakeyama Hiroshima Univ. 11 Bidisha Dey Hiroshima Univ. 12 Yozora Sakota Hiroshima Univ. 13 Takayoshi Nagaoka Hiroshima Univ. 14 Takehiro Hirayama Hiroshima Univ. 15 Takeru Omori Hiroshima Univ. 16 Hiroshima Univ. 17 Kazunari Kozuma Hiroshima Univ. 18 Kazunari Kozuma Hiroshima Univ. 19 Kazumasa Sueyoshi Hiroshima Univ. 19 Kazumasa Sueyoshi Hiroshima Univ. 10 Kohei Hatakeyama Hiroshima Univ. 10 Kohei Hatakeyama Hiroshima Univ. 11 Bidisha Dey Hiroshima Univ. 12 Hiroshima Univ. 13 Takayoshi Nagaoka Hiroshima Univ. 14 Takehiro Hirayama Hiroshima Univ. 15 Takeru Omori Hiroshima Univ. 16 Hiroshi Fujiwara Hiroshima Univ. 17 Kazunari Kozuma Hiroshima Univ. 18 Regional correlation of Cretaceous Ignimbrite of Sanyo Province, SW Japan using zircon U-Pb chronology and minor element composition of apatite dement composition of the amphiboles in Yufu-dake lavas Experimental Study on relationship between permeability and transport pore radius of rocks Extures of palesosis and pedogenic nodules in Tetori Group, Kamitshi and Univ. 18 Kazumatsu Hiroshima Univ. 20 Kensuke Kuroshima Hiroshima Univ. 21 Yuya Akamatsu Hiroshima Univ. 22 Ryohei Ikeda Hiroshima Univ. 32 Yuki Iwasaki Hiroshima Univ. 34 Hiroshima Univ. 35 Hiroshima Univ. 36 Rejicha Mamylonitized diorite - quartz diorite body at the norther margin of Kasaguara terrane in the Saganoseski Peninsula, Southwest Japan and its geological significance Composition of Penatures of Kyushu, Japan and its geological significance Composition of Penatures of Kyushu, Japan, inferred from major and trace element composition of the amphiboles in Yufu-dake lavas Experimental study on relationship between permeability and transport pore radius of rocks Peatures of palesosis and pedogenic nodules in Tetori Group, Kamiichi and Tateyamar regions, Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation of Triggered tremors and Stress perturbation due to surface waves at Nankai subduction zone Deformation characteristics of antigori	8	Dvuti Prakash Sarkar	Hiroshima Univ.	
Siscovery of 480 Ma mylonitized diorite - quartz diorite body at the northern margin of Sambagawa terrane in the Saganoseki Peninsula, Southwest Japan and its geological significance Compressional and shear wave velocities of mafic rocks collected from Oman Drilling Project The Geochemical Characteristics of Kyushu Basalts from the HFSE and Isotopic perspective Deformation condition beneath the Pinatubo volcano inferred from the microstructure of periodite xenoliths 13		,		
Senta Kawaguchi				
Sambagawa terrane in the Saganoseki Peninsula, Southwest Japan and its geological significance Compressional and shear wave velocities of mafic rocks collected from Oman Drilling Project The Geochemical Characteristics of Kyushu Basalts from the HFSE and Isotopic perspective Deformation condition beneath the Pinatubo volcano inferred from the microstructure of peridotite xenoliths Takayoshi Nagaoka Hiroshima Univ. Takehiro Hirayama Hiroshima Univ. Takehiro Hirayama Hiroshima Univ. Takeru Omori Hiroshima Un				· · · · · · · · · · · · · · · · · · ·
Southwest Japan and its geological significance Compressional and shear wave velocities of mafic rocks collected from Oman Drilling Project The Geochemical Characteristics of Kyushu Basalts from the HFSE and Isotopic perspective Deformation condition beneath the Pinatubo volcano inferred from the microstructure of peridotite xenoliths Microstructural properties and formation process of slickenside Geochemical Characteristics of Kyushu Basalts from the HFSE and Isotopic perspective Deformation condition beneath the Pinatubo volcano inferred from the microstructure of peridotite xenoliths Microstructural properties and formation process of slickenside Geochemical features of Quaternary volcanic rocks and xenolith from Futagoyama and Hime-Shima volcanic groups, Kyusyu, Japan Takeru Omori Hiroshima Univ. Role of extracellular polymeric substance on cyanobacterial calcification Regional correlation of Cretaceous ignimbrite of Sanyo Province, SW Japan using zircon U-Pb chronology and minor element composition of apatite Townshima Univ. Kazunari Kozuma Hiroshima Univ. Investigation for the magma genesis and generation process of Yufu-dake, Kyushu, Japan, inferred from major and trace element composition of the amphiboles in Yufu-dake lavas Experimental study on relationship between permeability and transport pore radius of rocks Experimental study on relationship between permeability and transport pore radius of rocks Features of paleosols and pedogenic nodules in Tetori Group, Kamilchi and Tateyama regions, Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation Triggered tremors and stress perturbation due to surface waves at Nankai subduction zone Deformation observation of	9	Kenta Kawaguchi	Hiroshima Univ.	· · · · · · · · · · · · · · · · · · ·
10 Kohei Hatakeyama Hiroshima Univ. Compressional and shear wave velocities of mafic rocks collected from Oman Drilling Project 11 Bidisha Dey Hiroshima Univ. The Geochemical Characteristics of Kyushu Basalts from the HFSE and Isotopic perspective Deformation condition beneath the Pinatubo volcano inferred from the microstructure of peridotite xenoliths 13 Takayoshi Nagaoka Hiroshima Univ. Microstructural properties and formation process of slickenside 14 Takehiro Hirayama Hiroshima Univ. Geochemical features of Quaternary volcanic rocks and xenolith from Futagoyama and Hime-Shima volcanic groups, Kyusyu, Japan Role of extracellular polymeric substance on cyanobacterial calcification Regional correlation of Cretaceous ignimbrite of Sanyo Province, SW Japan using zircon U-Pb chronology and minor element composition of apatite Investigation for the magma genesis and generation process of Yufu-dake, Kyushu, Japan, inferred from major and trace element composition of the amphiboles in Yufu-dake lavas 18 Ikuo Okada Hiroshima Univ. Kazumasa Sueyoshi Hiroshima Univ. Features of paleosols and pedogenic nodules in Tetori Group, Kamilichi and Tateyama regions, Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation 19 Yuya Akamatsu Hiroshima Univ. Tinggered tremors and stress perturbation due to surface waves at Nankai subduction zone 20 Yuki Iwasaki Hiroshima Univ. Features of paleosols and pedogenic nodules in Tetori Group, Kamilichi and Tateyama regions, Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation 17 Tinggered tremors and stress perturbation due to surface waves at Nankai subduction zone 21 Yuki Iwasaki Hiroshima Univ. Features of paleosols and pedogenic nodules in Tetori Group, Kamilichi and Tateyama regions, Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation Deformation characteristics of antigoritis serpentinite exposed at Sasagauri area, Fukuoka Microstructural observation of				
Bidisha Dey				
Hiroshima Univ. Bidisha Dey Hiroshima Univ. The Geochemical Characteristics of Kyushu Basalts from the HFSE and Isotopic perspective Deformation condition beneath the Pinatubo volcano inferred from the microstructure of peridotite xenoliths Microstructural properties and formation process of slickenside Geochemical features of Quaternary volcanic rocks and xenolith from Futagoyama and Hime- Shima volcanic groups, Kyusyu, Japan Takeru Omori Hiroshima Univ. Role of extracellular polymenic substance on cyanobacterial calcification Regional correlation of Cretaceous ignimbrite of Sanyo Province, SW Japan using zircon U-Pb chronology and minor element composition of apatite Investigation for the magma genesis and generation process of Yufu-dake, Kyushu, Japan, inferred from major and trace element composition of the amphiboles in Yufu-dake lavas Experimental study on relationship between permeability and transport pore radius of rocks Features of paleosols and pedogenic nodules in Tetori Group, Kamiichi and Tateyama regions, Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation Triggered tremors and stress perturbation due to surface waves at Nankai subduction zone Deformation characteristics of antigorite serpentinite exposed at Sasaguri area, Fukuoka Microstructural observation of	10	Kohei Hatakeyama	Hiroshima Univ.	·
Hiroshima Univ. Basalts from the HFSE and Isotopic perspective Deformation condition beneath the Pinatubo volcano inferred from the microstructure of peridotite xenoliths Microstructural properties and formation process of slickenside Geochemical features of Quaternary volcanic rocks and xenolith from Futagoyama and Hime- Shima volcanic groups, Kyusyu, Japan Role of extracellular polymeric substance on cyanobacterial calcification Regional correlation of Cretaceous ignimbrite of Sanyo Province, SW Japan using zircon U-Pb chronology and minor element composition of apatite Razunari Kozuma Hiroshima Univ. Shock metamorphism recorded in lunar meteorite Investigation for the magma genesis and generation process of Yufu-dake, Kyushu, Japan, inferred from major and trace element composition of the amphiboles in Yufu-dake lavas Experimental study on relationship between permeability and transport pore radius of rocks Features of paleosols and pedogenic nodules in Tetori Group, Kamiichi and Tateyama regions, Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation Triggered tremors and stress perturbation due to surface waves at Nankai subduction zone Deformation condition beneath the Pinatubo volcano inferred from the microstructure of peridotite xenoliths Microstructural properties and formation process of slickenside Geochemical features of Quaternary volcanic rocks and xenolith from Futagoyama and Hime- Shima Volcanic recks and xenolith from Futagoyama and Hime- Shima Volcanic exenolith Ricoshima Univ. Shock metamorphism recorded in lunar meteorite Investigation for the magma genesis and generation process of Yufu-dake, Kyushu, Japan, inferred from major and trace element composition of the amphiboles in Yufu-dake lavas Experimental study on relationship between permeability and transport pore radius of rocks Features of paleosols and pedogenic nodules in Tetori Group, Kamiichi and Tateyama regions, Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial				
Deformation condition beneath the Pinatubo volcano inferred from the microstructure of peridotite xenoliths Takayoshi Nagaoka Hiroshima Univ. Microstructural properties and formation process of slickenside Takehiro Hirayama Hiroshima Univ. Geochemical features of Quaternary volcanic rocks and xenolith from Futagoyama and Hime-Shima volcanic groups, Kyusyu, Japan Takeru Omori Hiroshima Univ. Role of extracellular polymeric substance on cyanobacterial calcification Regional correlation of Cretaceous ignimbrite of Sanyo Province, SW Japan using zircon U-Pb chronology and minor element composition of apatite Takeru Omori Hiroshima Univ. Shock metamorphism recorded in lunar meteorite Investigation for the magma genesis and generation process of Yufu-dake, Kyushu, Japan, inferred from major and trace element composition of the amphiboles in Yufu-dake lavas Kazumasa Sueyoshi Hiroshima Univ. Experimental study on relationship between permeability and transport pore radius of rocks Features of paleosols and pedogenic nodules in Tetori Group, Kamiichi and Tateyama regions, Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation Triggered tremors and stress perturbation due to surface waves at Nankai subduction zone Deformation characteristics of antigorite serpentinite exposed at Sasaguri area, Fukuoka Microstructural observation of	11	Bidisha Dey	Hiroshima Univ.	· ·
peridotite xenoliths Microstructural properties and formation process of slickenside Geochemical features of Quaternary volcanic rocks and xenolith from Futagoyama and Hime-Shima volcanic groups, Kyusyu, Japan Takenu Omori Hiroshima Univ. Role of extracellular polymeric substance on cyanobacterial calcification Regional correlation of Cretaceous ignimbrite of Sanyo Province, SW Japan using zircon U-Pb chronology and minor element composition of apatite Kazunari Kozuma Hiroshima Univ. Shock metamorphism recorded in lunar meteorite Investigation for the magma genesis and generation process of Yufu-dake, Kyushu, Japan, inferred from major and trace element composition of the amphiboles in Yufu-dake lavas Experimental study on relationship between permeability and transport pore radius of rocks Features of paleosols and pedogenic nodules in Tetori Group, Kamiichi and Tateyamar regions, Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation Triggered tremors and stress perturbation due to surface waves at Nankai subduction zone Poformation characteristics of antigorite serpentinite exposed at Sasaguri area, Fukuoka Microstructural observation of				
peridotite xenoliths Microstructural properties and formation process of slickenside Geochemical features of Quaternary volcanic rocks and xenolith from Futagoyama and Hime-Shima volcanic groups, Kyusyu, Japan Takenu Omori Hiroshima Univ. Role of extracellular polymeric substance on cyanobacterial calcification Regional correlation of Cretaceous ignimbrite of Sanyo Province, SW Japan using zircon U-Pb chronology and minor element composition of apatite Kazunari Kozuma Hiroshima Univ. Shock metamorphism recorded in lunar meteorite Investigation for the magma genesis and generation process of Yufu-dake, Kyushu, Japan, inferred from major and trace element composition of the amphiboles in Yufu-dake lavas Experimental study on relationship between permeability and transport pore radius of rocks Features of paleosols and pedogenic nodules in Tetori Group, Kamiichi and Tateyama regions, Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation Triggered tremors and stress perturbation due to surface waves at Nankai subduction zone Deformation characteristics of antigorite serpentinite exposed at Sasaguri area, Fukuoka Microstructural observation of	12	Yozora Sakota	Hiroshima Univ.	volcano inferred from the microstructure of
Takayoshi Nagaoka Hiroshima Univ. Geochemical features of Quaternary volcanic rocks and xenolith from Futagoyama and Hime-Shima volcanic groups, Kyusyu, Japan Takeru Omori Hiroshima Univ. Role of extracellular polymeric substance on cyanobacterial calcification Regional correlation of Cretaceous ignimbrite of Sanyo Province, SW Japan using zircon U-Pb chronology and minor element composition of apatite Takeru Omori Hiroshima Univ. Shock metamorphism recorded in lunar meteorite Investigation for the magma genesis and generation process of Yufu-dake, Kyushu, Japan, inferred from major and trace element composition of the amphiboles in Yufu-dake lavas Experimental study on relationship between permeability and transport pore radius of rocks Features of paleosols and pedogenic nodules in Tetori Group, Kamiichi and Tateyama regions, Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation Triggered tremors and stress perturbation due to surface waves at Nankai subduction zone Microstructural properties and formation frocks and xenolith from Futagoyama and Hime-Shima Univ. Microstructural properties and features of Quaternary volcanic rocks and xenolith from Futagoyama and Hime-Shima Univ. Microstructural properties and features of Quaternary volcanic rocks and xenolith from Futagoyama and Hime-Shima Univ. Microstructural properties and features of Quaternary volcanic rocks and xenolith from Futagoyama and Hime-Shima Univ. Microstructural properties and xenolith from Futagoyama and Hime-Shima Univ. Microstructural observation of Quaternary volcanic rocks and xenolith from Futagoyama and Hime-Shima Univ. Microstructural observation of Dratagoyama and Hime-Shima volcanic rocks and xenolith from Futagoyama and Hime-Shima volcanic rocks and xenol				
Takayoshi Nagaoka Hiroshima Univ. of slickenside Geochemical features of Quaternary volcanic rocks and xenolith from Futagoyama and Hime-Shima volcanic groups, Kyusyu, Japan Takeru Omori Hiroshima Univ. Role of extracellular polymeric substance on cyanobacterial calcification Regional correlation of Cretaceous ignimbrite of Sanyo Province, SW Japan using zircon U-Pb chronology and minor element composition of apatite Kazunari Kozuma Hiroshima Univ. Shock metamorphism recorded in lunar meteorite Investigation for the magma genesis and generation process of Yufu-dake, Kyushu, Japan, inferred from major and trace element composition of the amphiboles in Yufu-dake lavas Experimental study on relationship between permeability and transport pore radius of rocks Features of paleosols and pedogenic nodules in Tetori Group, Kamiichi and Tateyama regions, Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation Triggered tremors and stress perturbation due to surface waves at Nankai subduction zone Deformation characteristics of antigorite serpentinite exposed at Sasaguri area, Fukuoka Microstructural observation of				1
Takehiro Hirayama Hiroshima Univ. Geochemical features of Quaternary volcanic rocks and xenolith from Futagoyama and Hime-Shima volcanic groups, Kyusyu, Japan Role of extracellular polymeric substance on cyanobacterial calcification Regional correlation of Cretaceous ignimbrite of Sanyo Province, SW Japan using zircon U-Pb chronology and minor element composition of apatite If Kazunari Kozuma Hiroshima Univ. Shock metamorphism recorded in lunar meteorite Investigation for the magma genesis and generation process of Yufu-dake, Kyushu, Japan, inferred from major and trace element composition of the amphiboles in Yufu-dake lavas Kazumasa Sueyoshi Hiroshima Univ. Kensuke Kuroshima Hiroshima Univ. Kensuke Kuroshima Hiroshima Univ. Kensuke Kuroshima Hiroshima Univ. Yuya Akamatsu Hiroshima Univ. Regional correlation of Cretaceous ignimbrite of Sanyo Province, SW Japan using zircon U-Pb chronology and minor element composition of apatite Investigation for the magma genesis and generation process of Yufu-dake, Kyushu, Japan, inferred from major and trace element composition of the amphiboles in Yufu-dake lavas Experimental study on relationship between permeability and transport pore radius of rocks Features of paleosols and pedogenic nodules in Tetori Group, Kamiichi and Tateyama regions, Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation Triggered tremors and stress perturbation due to surface waves at Nankai subduction zone Deformation characteristics of antigorite serpentinite exposed at Sasaguri area, Fukuoka Microstructural observation of	13	Takayoshi Nagaoka	Hiroshima Univ.	
Takehiro Hirayama Hiroshima Univ. rocks and xenolith from Futagoyama and Hime-Shima volcanic groups, Kyusyu, Japan Role of extracellular polymeric substance on cyanobacterial calcification Regional correlation of Cretaceous ignimbrite of Sanyo Province, SW Japan using zircon U-Pb chronology and minor element composition of apatite Shock metamorphism recorded in lunar meteorite Investigation for the magma genesis and generation process of Yufu-dake, Kyushu, Japan, inferred from major and trace element composition of the amphiboles in Yufu-dake lavas Kazumasa Sueyoshi Hiroshima Univ. Experimental study on relationship between permeability and transport pore radius of rocks Features of paleosols and pedogenic nodules in Tetori Group, Kamiichi and Tateyama regions, Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation Yuka Ikada Hiroshima Univ. Deformation characteristics of antigorite serpentinite exposed at Sasaguri area, Fukuoka Microstructural observation of				
Shima volcanic groups, Kyusyu, Japan Role of extracellular polymeric substance on cyanobacterial calcification Regional correlation of Cretaceous ignimbrite of Sanyo Province, SW Japan using zircon U-Pb chronology and minor element composition of apatite Shock metamorphism recorded in lunar meteorite Investigation for the magma genesis and generation process of Yufu-dake, Kyushu, Japan, inferred from major and trace element composition of the amphiboles in Yufu-dake lavas Experimental study on relationship between permeability and transport pore radius of rocks Features of paleosols and pedogenic nodules in Tetori Group, Kamiichi and Tateyama regions, Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation to surface waves at Nankai subduction zone Poformation characteristics of antigorite serpentinite exposed at Sasaguri area, Fukuoka Microstructural observation of				- '
Takeru Omori Hiroshima Univ. Role of extracellular polymeric substance on cyanobacterial calcification Regional correlation of Cretaceous ignimbrite of Sanyo Province, SW Japan using zircon U-Pb chronology and minor element composition of apatite 17 Kazunari Kozuma Hiroshima Univ. Shock metamorphism recorded in lunar meteorite Investigation for the magma genesis and generation process of Yufu-dake, Kyushu, Japan, inferred from major and trace element composition of the amphiboles in Yufu-dake lavas 19 Kazumasa Sueyoshi Hiroshima Univ. Experimental study on relationship between permeability and transport pore radius of rocks 20 Kensuke Kuroshima Hiroshima Univ. Features of paleosols and pedogenic nodules in Tetori Group, Kamiichi and Tateyama regions, Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation Triggered tremors and stress perturbation due to surface waves at Nankai subduction zone 23 Yuki Iwasaki Hiroshima Univ. Microstructural observation of	14	Takehiro Hirayama	Hiroshima Univ.	_ ·
16 Hiroshi Fujiwara Hiroshima Univ. Regional correlation of Cretaceous ignimbrite of Sanyo Province, SW Japan using zircon U-Pb chronology and minor element composition of apatite 17 Kazunari Kozuma Hiroshima Univ. Shock metamorphism recorded in lunar meteorite Investigation for the magma genesis and generation process of Yufu-dake, Kyushu, Japan, inferred from major and trace element composition of the amphiboles in Yufu-dake lavas 19 Kazumasa Sueyoshi Hiroshima Univ. Experimental study on relationship between permeability and transport pore radius of rocks Features of paleosols and pedogenic nodules in Tetori Group, Kamiichi and Tateyama regions, Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation 19 Ryohei Ikeda Hiroshima Univ. Prince Wayshi Ikeda Hiroshima Univ. Pri				Shima volcanic groups, Kyusyu, Japan
Cyanobacterial calcification Regional correlation of Cretaceous ignimbrite of Sanyo Province, SW Japan using zircon U-Pb chronology and minor element composition of apatite	15	Takoru Omori	Hirochima Univ	Role of extracellular polymeric substance on
Hiroshi Fujiwara Hiroshima Univ. Sanyo Province, SW Japan using zircon U-Pb chronology and minor element composition of apatite Shock metamorphism recorded in lunar meteorite Investigation for the magma genesis and generation process of Yufu-dake, Kyushu, Japan, inferred from major and trace element composition of the amphiboles in Yufu-dake lavas Experimental study on relationship between permeability and transport pore radius of rocks Features of paleosols and pedogenic nodules in Tetori Group, Kamiichi and Tateyama regions, Yuya Akamatsu Hiroshima Univ. Patures of paleosols and pedogenic nodules in Tetori Group, Kamiichi and Tateyama regions, Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation Triggered tremors and stress perturbation due to surface waves at Nankai subduction zone Deformation characteristics of antigorite serpentinite exposed at Sasaguri area, Fukuoka Microstructural observation of	15	Takeru Omon	i iii Osi iii iia Oiliv.	
chronology and minor element composition of apatite 17 Kazunari Kozuma Hiroshima Univ. Shock metamorphism recorded in lunar meteorite Investigation for the magma genesis and generation process of Yufu-dake, Kyushu, Japan, inferred from major and trace element composition of the amphiboles in Yufu-dake lavas 19 Kazumasa Sueyoshi Hiroshima Univ. Experimental study on relationship between permeability and transport pore radius of rocks 20 Kensuke Kuroshima Hiroshima Univ. Features of paleosols and pedogenic nodules in Tetori Group, Kamiichi and Tateyama regions, 21 Yuya Akamatsu Hiroshima Univ. Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation 22 Ryohei Ikeda Hiroshima Univ. Triggered tremors and stress perturbation due to surface waves at Nankai subduction zone 23 Yuki Iwasaki Hiroshima Univ. Deformation characteristics of antigorite serpentinite exposed at Sasaguri area, Fukuoka Microstructural observation of				Regional correlation of Cretaceous ignimbrite of
chronology and minor element composition of apatite 17 Kazunari Kozuma Hiroshima Univ. Shock metamorphism recorded in lunar meteorite Investigation for the magma genesis and generation process of Yufu-dake, Kyushu, Japan, inferred from major and trace element composition of the amphiboles in Yufu-dake lavas 19 Kazumasa Sueyoshi Hiroshima Univ. Experimental study on relationship between permeability and transport pore radius of rocks 20 Kensuke Kuroshima Hiroshima Univ. Features of paleosols and pedogenic nodules in Tetori Group, Kamiichi and Tateyama regions, 21 Yuya Akamatsu Hiroshima Univ. Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation 22 Ryohei Ikeda Hiroshima Univ. Triggered tremors and stress perturbation due to surface waves at Nankai subduction zone 23 Yuki Iwasaki Hiroshima Univ. Deformation characteristics of antigorite serpentinite exposed at Sasaguri area, Fukuoka Microstructural observation of	16	Hiroshi Fujiwara	Hiroshima Univ.	Sanyo Province, SW Japan using zircon U-Pb
17 Kazunari Kozuma Hiroshima Univ. Shock metamorphism recorded in lunar meteorite Investigation for the magma genesis and generation process of Yufu-dake, Kyushu, Japan, inferred from major and trace element composition of the amphiboles in Yufu-dake lavas 19 Kazumasa Sueyoshi Hiroshima Univ. Experimental study on relationship between permeability and transport pore radius of rocks 20 Kensuke Kuroshima Hiroshima Univ. Features of paleosols and pedogenic nodules in Tetori Group, Kamiichi and Tateyama regions, 21 Yuya Akamatsu Hiroshima Univ. Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation 22 Ryohei Ikeda Hiroshima Univ. Triggered tremors and stress perturbation due to surface waves at Nankai subduction zone 23 Yuki Iwasaki Hiroshima Univ. Deformation characteristics of antigorite serpentinite exposed at Sasaguri area, Fukuoka Microstructural observation of				chronology and minor element composition of
Investigation for the magma genesis and generation process of Yufu-dake, Kyushu, Japan, inferred from major and trace element composition of the amphiboles in Yufu-dake lavas Experimental study on relationship between permeability and transport pore radius of rocks Kensuke Kuroshima Hiroshima Univ. Kensuke Kuroshima Hiroshima Univ. Yuya Akamatsu Hiroshima Univ. Ryohei Ikeda Hiroshima Univ. Yuki Iwasaki Hiroshima Univ. Deformation characteristics of antigorite serpentinite exposed at Sasaguri area, Fukuoka Microstructural observation of	47		12 12 11 1	
Ikuo Okada Hiroshima Univ. generation process of Yufu-dake, Kyushu, Japan, inferred from major and trace element composition of the amphiboles in Yufu-dake lavas Experimental study on relationship between permeability and transport pore radius of rocks Features of paleosols and pedogenic nodules in Tetori Group, Kamiichi and Tateyama regions, Yuya Akamatsu Hiroshima Univ. Priggered tremors and stress perturbation due to surface waves at Nankai subduction zone Peformation characteristics of antigorite serpentinite exposed at Sasaguri area, Fukuoka Microstructural observation of	17	Kazunari Kozuma	Hirosnima Univ.	
Ikuo Okada Hiroshima Univ. Kyushu, Japan, inferred from major and trace element composition of the amphiboles in Yufu-dake lavas 19 Kazumasa Sueyoshi Hiroshima Univ. Experimental study on relationship between permeability and transport pore radius of rocks 20 Kensuke Kuroshima Hiroshima Univ. Features of paleosols and pedogenic nodules in Tetori Group, Kamiichi and Tateyama regions, 21 Yuya Akamatsu Hiroshima Univ. Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation 22 Ryohei Ikeda Hiroshima Univ. Triggered tremors and stress perturbation due to surface waves at Nankai subduction zone 23 Yuki Iwasaki Hiroshima Univ. Deformation characteristics of antigorite serpentinite exposed at Sasaguri area, Fukuoka Microstructural observation of				
element composition of the amphiboles in Yufu-dake lavas 19 Kazumasa Sueyoshi Hiroshima Univ. Experimental study on relationship between permeability and transport pore radius of rocks 20 Kensuke Kuroshima Hiroshima Univ. Features of paleosols and pedogenic nodules in Tetori Group, Kamiichi and Tateyama regions, 21 Yuya Akamatsu Hiroshima Univ. Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation 22 Ryohei Ikeda Hiroshima Univ. Triggered tremors and stress perturbation due to surface waves at Nankai subduction zone 23 Yuki Iwasaki Hiroshima Univ. Deformation characteristics of antigorite serpentinite exposed at Sasaguri area, Fukuoka Microstructural observation of	10	Thurs Olyanda	I live eleine e I lein	- - - - - - - - - - - - -
amphiboles in Yufu-dake lavas Experimental study on relationship between permeability and transport pore radius of rocks Features of paleosols and pedogenic nodules in Tetori Group, Kamiichi and Tateyama regions, Yuya Akamatsu Hiroshima Univ. Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation Triggered tremors and stress perturbation due to surface waves at Nankai subduction zone Yuki Iwasaki Hiroshima Univ. Deformation characteristics of antigorite serpentinite exposed at Sasaguri area, Fukuoka Microstructural observation of	18	Ikuo Okada	Hiroshima Univ.	
Experimental study on relationship between permeability and transport pore radius of rocks 20 Kensuke Kuroshima Hiroshima Univ. Features of paleosols and pedogenic nodules in Tetori Group, Kamiichi and Tateyama regions, 21 Yuya Akamatsu Hiroshima Univ. Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation 22 Ryohei Ikeda Hiroshima Univ. Triggered tremors and stress perturbation due to surface waves at Nankai subduction zone 23 Yuki Iwasaki Hiroshima Univ. Deformation characteristics of antigorite Serpentinite exposed at Sasaguri area, Fukuoka Microstructural observation of				·
Permeability and transport pore radius of rocks Rensuke Kuroshima Hiroshima Univ. Peatures of paleosols and pedogenic nodules in Tetori Group, Kamiichi and Tateyama regions, Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation Ryohei Ikeda Hiroshima Univ. Ryohei Ikeda Hiroshima Univ. Triggered tremors and stress perturbation due to surface waves at Nankai subduction zone Deformation characteristics of antigorite serpentinite exposed at Sasaguri area, Fukuoka Microstructural observation of				
Yuya Akamatsu	19	Kazumasa Sueyoshi	Hiroshima Univ.	
Tetori Group, Kamiichi and Tateyama regions, Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation Ryohei Ikeda Hiroshima Univ. Tetori Group, Kamiichi and Tateyama regions, Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation Triggered tremors and stress perturbation due to surface waves at Nankai subduction zone Deformation characteristics of antigorite serpentinite exposed at Sasaguri area, Fukuoka Microstructural observation of				
Yuya Akamatsu Hiroshima Univ. Contrasting dilatant behaviors of mafic and ultramafic rocks based on triaxial deformation Triggered tremors and stress perturbation due to surface waves at Nankai subduction zone Yuki Iwasaki Hiroshima Univ. Deformation characteristics of antigorite serpentinite exposed at Sasaguri area, Fukuoka Microstructural observation of	20	Kensuke Kuroshima	Hiroshima Univ.	·
22 Ryohei Ikeda Hiroshima Univ. 23 Yuki Iwasaki Hiroshima Univ. Hiroshima Univ. Deformation characteristics of antigorite serpentinite exposed at Sasaguri area, Fukuoka Microstructural observation of	_	_		
22 Ryohei Ikeda Hiroshima Univ. Triggered tremors and stress perturbation due to surface waves at Nankai subduction zone 23 Yuki Iwasaki Hiroshima Univ. Deformation characteristics of antigorite serpentinite exposed at Sasaguri area, Fukuoka Microstructural observation of	21	Yuya Akamatsu	Hiroshima Univ.	_
23 Yuki Iwasaki Hiroshima Univ. Surface waves at Nankai subduction zone Deformation characteristics of antigorite serpentinite exposed at Sasaguri area, Fukuoka Microstructural observation of		B 1 : T 1		
23 Yuki Iwasaki Hiroshima Univ. Deformation characteristics of antigorite serpentinite exposed at Sasaguri area, Fukuoka Microstructural observation of	22	Ryohei Ikeda	Hirosnima Univ.	
serpentinite exposed at Sasaguri area, Fukuoka Microstructural observation of	22	Vulci Iwacaki	Hirochima Univ	
Microstructural observation of	23	TUKI IWASAKI	i iii USI III II a UI IIV.	serpentinite exposed at Sasaguri area, Fukuoka
24 Junya Okazaki Hiroshima Univ. pseudotachylyte exposed in Aravalli-Delhi				
	24	Junya Okazaki	Hiroshima Univ.	pseudotachylyte exposed in Aravalli-Delhi
orogenic belt, India				orogenic belt. India

25	Hiroki Kato	Hiroshima Univ.	Polycyclic aromatic hydrocarbons and aliphatic hydrocarbons in Jbilet Winselwan carbonaceous CM chondrite: Attempt to evaluate the thermal metamorphism degree on the parent body
26	Minami Kawaguchi	Hiroshima Univ.	Study of Paleoproterozoic banded iron formation, Gwalior Group, India
27	Naoki Shiraishi	Hiroshima Univ.	Elucidation of aqueous alteration of Martian meteorite, Yamato 000749, using multi-probe microscopic observation
28	Keisuke Nakano	Hiroshima Univ.	Reexamination for the magma genesis of Quaternary Tufu-Tsurumi volcanoes, northeast Kyushu, Japan, inffered from Pb isotopic composition analyzed with double spike method
29	Takuma Yoshida	Hiroshima Univ.	Magma genesis of Pre-Unzen and Unzen volcano, northwestern Kyushu island, Japan
30	Chaowen Xu	Ehime Univ.	Solubility behavior of δAlOOH-εFeOOH at high pressures: Implication for water transports into the deep lower manrtle and early Mars' interior
31	Masamichi Noda	Ehime Univ.	Possible compositional area of Al bearing anhydrous bridgmanite
32	Daiki Miyashita	Hiroshima Univ.	Texture of ε-Fe variants observed by X-ray diffraction and differential interference contrast
33	Keitaro Kuramochi	Hiroshima Univ.	XAFS spectra of rhenium metal under P>300 GPa measured by a double stage diamond anvil cell